borg& overström



High-capacity hydration designed for commercial performance.

c2/c3

c2/c3

Engineered for endurance with an impressive through-put, ideal for hospitality environments.

From restaurants and bars, to back of house replenishment, the C2/C3 tap provides easy, instant access to deliciously chilled, sparkling and ambient filtered water.

At a glance.

Water options







Configuration



Integrated ta

Colour



System

ProCore®

Powerful and compact, energy-efficient modular system.

DryChill®

Rapid and hygienic, efficient chilling technology.

Technology

DeepSparkle®

Sparkling water with long-lasting fizz.

Viovandt® (optional) Chemical-free, eco-friendly integrated UV-LED purification.

Hygiene

Totality®

Filtration and hygiene assurance with Biomaster®.

Built to perform.

Designed with endurance in mind, the C2 and C3 dispensers are ideal for serving hospitality and commercial environments, ensuring dependable performance at all times. Familiar, yet refined faucet handles provide intuitive, easy dispense, delivering an impressive 80 litres per hour at a consistent chilled temperature, perfect for busy environments. Available as a two-tap or threetap system, pair with a large stainless-steel drip tray for a truly robust refill station

Confidently clean water.

Totality® is our 5-step methodology to achieving pure, healthier, water. Providina hyaiene assurance in every pour. Totality® reduces sediment, odours, chlorine and microplastics, for freshlv-filtered water that is safe to drink and tastes clean and crisp. For complete peace of mind, select Viovandt® enhanced UV-C purification. The ultraviolet LED technology provides ecofriendly, chemical-free sterilisation to reduce bio-contaminants and bacteria which may be present in the incoming water supply.

Powerful, compact and energy-efficient.

Designed and built in the UK, the C2/C3 is powered by our exclusive, compact ProCore® system with discrete ventilation and advanced modularity. Utilising an intelligent DryChill® airless, rapid cooling technology, the C2/C3 delivers the ultimate in hygiene and performance, ensuring every glass or carafe is freshly-poured at the perfect temperature.

Premium bottleless water for every environment.

Designed for breakfast bars, canteens, restaurants and back of house, the refined aesthetics are easy-to-clean, featuring a durable chrome finish and tall dispense height. Sustainably conscious to the core and only utilising eco-refrigerant gas, the C2/C3 eliminates the need for single-use water bottles, allowing you to refill and serve premium, filtered water on tap, from bar to table.



borg& overström

The detail.

Capacity ProCore® +	Chilled 80 L/hr	Sparkling 50 L/hr	
Temperature	Chilled 2°C	Sparkling 2°C	
Dispense Height C2 C3	290mm 300mm	Perfect for filling water bottles, glasses or carafes	
Power	230-240v		
Dimensions C2 C3	Intergrated Tap		








ProCore®







ProCore®

Optional accessories.



Deep Sparkle®
CO₂ Refills
Can be disposed of via
standard steel recycling or
general waste. Requires
CO₂ regulator with gauge.



Bluetooth® Alarmed Waste Kit

A device that emits an audible alarm at high water level and sends a signal via Bluetooth® to deactivate the control panel.


Model no. 230-240v	Chrome	Chrome Viovandf		
C2 ProCore® +				
Chilled, Ambient	746000	746010		
Chilled & Sparkling	746020	746030		
C3 ProCore® +				
Chilled Sparkling & Ambient	746040	746050		

Place an order.

+44 (0)1362 695 006 sales@borgandoverstrom.com

borgandoverstrom.com

Excellence in every pour.







Bottleless and sustainably conscious.



ProCore® advanced modular technology.