

borg&  
overström









Digital tap precision for complete  
countertop convenience.

t2

# t2

## Drink differently with digital precision and freshly-filtered water on tap.

Redefine your drinking experience with chilled, ambient and sparkling water, all in a sleek design that seamlessly integrates into any workplace or communal area.

At a glance.	
Water options	<div>    </div> <div>Chilled   Sparkling   Ambient</div>
Configuration	<div>  </div> <div>Integrated top</div>
Colour	<div>   </div> <div>Black   Steel</div>
System	<div> <b>ProCore®</b>            Powerful and compact, energy-efficient modular system.         </div> <div> <b>DryChill®</b>            Rapid and hygienic, efficient chilling technology.         </div>
Technology	<div> <b>EcoMode</b>            Energy-saving technology.         </div> <div> <b>Bluetooth®</b>            Touch-free dispense.         </div> <div> <b>DeepSparkle®</b>            Sparkling water with long-lasting fizz.         </div> <div> <b>Viovandri®</b> (optional)            Chemical-free, eco-friendly integrated UV-LED purification.         </div> <div> <b>MonoFit®</b> (optional)            Easy-fit base for quick installation and retrofitting.         </div>
Hygiene	<div> <b>Totality®</b>            Filtration and hygiene assurance with Biomaster®.         </div>

Transformative technology.	Confidently clean water.
<p>The T2 delivers premium water with digital precision, matching sustainable design with complete convenience. Featuring an integrated drip tray and touch panel, the T2 utilises the latest energy-saving EcoMode technology for eco-efficient powerful performance.</p> <p>With options for sparkling, chilled, and ambient water, the T2 can dispense up to 50 L/h, delivering refreshing, great-tasting water with ultimate convenience.</p>	<p>Totality® is our 5-step methodology to achieving pure, healthier, premium water. Providing hygiene assurance in every pour, Totality® reduces sediment, odours, chlorine and microplastics, for freshly-filtered water that is safe to drink and tastes clean and crisp.</p> <p>For complete peace of mind, select Viovandri® enhanced UV-C purification. The ultraviolet LED technology provides eco-friendly, chemical-free sterilisation to reduce bacteria and viruses.</p>
Powerful and energy-efficient.	Bottleless water for every environment.
<p>Designed and built in the UK, the T2 is powered by our exclusive, compact, modular ProCore® system with discrete ventilation. The integrated DryChill® airless, rapid cooling technology provides the ultimate in hygiene and performance, reducing the risk of contamination and ensuring every glass is perfectly chilled.</p>	<p>Easy to install, the T2 is designed for every environment. The durable Fynil® finish is easy-to-clean and incorporates an antimicrobial touch panel with silver ion technology. Designed to quickly refill bottles and glasses, the T2 eliminates the need for single-use plastic bottles, enabling you to reduce your plastic consumption.</p>

Transform your  
hydration experience  
with fresh, filtered  
water on tap.



Excellence in every pour.



## The detail.

Capacity ProCore	Chilled 50 L/h	Sparkling 50 L/h
Temperature	Chilled 2°C	Sparkling 2°C
Dispense height	310mm	Perfect for filling water bottles, glasses or carafes
Power	120-240v	
Dimensions	Integrated Tap W322xD431xH60mm	Undercounter ProCore Unit W320xD471xH400mm



Steel

ProCore®



Black

ProCore®

## Optional accessories.



**Deep Sparkle®  
CO<sub>2</sub> Refills**  
Can be disposed via  
standard steel recycling or  
general waste. Requires  
CO<sub>2</sub> regulator with gauge.



**Bluetooth® Alarmed  
Waste Kit**  
A device that emits an  
audible alarm at high  
water level and sends  
a signal via Bluetooth® to  
deactivate the control panel.

## Optional base.



**MonoFit®  
Easy-Fit Base**  
Designed for easy installation  
and retrofitting with a 10mm  
elevated profile and single  
service hole for minimal  
worktop cutting.

Model no. 230-240v	Black	Steel	Black LED-UV	Steel LED-UV
<b>T2 ProCore</b>				
Chilled, Ambient	742000	742010	742020	742030
Chilled, Sparkling	742080	742090	742100	742110
Chilled, Ambient & Sparkling	742160	742170	742180	742190
<b>T2 ProCore+ (Increased capacity)</b>				
Chilled, Ambient	742240	742250	742260	742270
Chilled, Sparkling	742320	742330	742340	742350
Chilled, Ambient & Sparkling	742400	742410	742420	742430

## Place an order.

+44 (0)1362 695 006  
sales@borgandoverstrom.com

borgandoverstrom.com

## Excellence in every pour.



**Totality® hygiene**  
assurance in every pour.



**UK designed and built**  
with nearshore supply.



**Bottleless and**  
sustainably conscious.



**ProCore® advanced**  
modular technology.



EN